

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING**Product identifier**

Product Label Name Traffic Lane Cleaner
Other means of identification
UPC Code(s) Not applicable
Product code 2650-3351, 2659-3259
Synonyms Esteam Traffic Lane Cleaner

Recommended use of the chemical and restrictions on use

Recommended Use Free rinsing everyday traffic lane preconditioning, carpet prespray.
Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details**Supplier Address**

Esteam Cleaning Systems
1-3680 Odyssey Drive
Mississauga, ON L5M 0Y9
Canada

Manufacturer Address

AramSCO Inc.
4282 South 590 West
Salt Lake City, UT 84123
USA

Emergency telephone number

Company Phone Number 1-800-767-6933
Company Emergency Phone Number United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)
International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)
Emergency telephone Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION**Classification****OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2

GHS Label elements, including precautionary statements**Emergency Overview****Warning****Hazard Statements**

Causes skin irritation
Causes serious eye irritation



Appearance Clear Liquid

Physical state Liquid

Odor Light Citrus

Precautionary Statements - Prevention

Wash face, hands, and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If eye irritation persists: Get medical advice/attention
IF ON SKIN: Wash with plenty of soap and water
If skin irritation occurs: Get medical advice/attention
Take off contaminated clothing and wash before reuse

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)**Other information**

- May cause respiratory irritation
- May be harmful if swallowed

General Hazards

Keep out of reach of children

Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Diethylene glycol monobutyl ether	112-34-5	1 - 5	*
Butoxyethanol	111-76-2	1 - 5	*
Alcohols, C9-11, ethoxylated	68439-46-3	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes**General advice**

If symptoms persist, call a physician.

Eye contact

Immediately flush with plenty of water. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.

Skin contact

Remove and wash contaminated clothing before re-use. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician. Immediate medical attention is not required.

Toxic - Inhalation

Immediate medical attention is not required. Move to fresh air in case of accidental inhalation of vapors. If symptoms persist, call a physician.

Ingestion

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Consult a physician. Do NOT induce vomiting.

Protection of First-aiders

Use personal protective equipment.

Most important symptoms/effects, acute and delayed**Main Symptoms**

No information available.

Indication of immediate medical attention and special treatment needed, if necessary**Notes to physician**

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Hazardous Combustion Products No information available.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Personal precautions Use personal protective equipment. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Cover liquid spill with sand, earth, or other noncombustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Do not breathe vapors or spray mist.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry, cool, and well-ventilated place. Keep out of the reach of children.

Packaging material Keep product in packaging product is initially sold in.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Diethylene glycol monobutyl ether 112-34-5	TWA: 10 ppm inhalable fraction and vapor	-	-
Butoxyethanol 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m ³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m ³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures

Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

- Eye/Face Protection** Tightly fitting safety goggles. Face shields.
- Skin and body protection** No special protective equipment required.
- Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures

Provide regular cleaning of equipment, work area and clothing. Do not eat, drink, or smoke when using this product. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	Liquid	Odor	Light Citrus
Appearance	Clear Liquid	Odor threshold	No information available
Color	Colorless		

Property	Values	Remarks • Method
pH	12.0	
Melting point	No information available	
Boiling point/boiling range	No information available	
Flash Point	> 94°C / > 201°F	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor pressure	17.4	
Vapor density	0.694	
Specific Gravity	1.045	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	

Viscosity, dynamic No information available
 Explosive properties No information available
 Oxidizing Properties No information available

Other information

Softening point No information available
 Molecular weight No information available
 VOC Content (%) No information available
 Density VALUE No information available
 Bulk Density VALUE No information available

10. STABILITY AND REACTIVITY

Reactivity**Chemical stability**

Stable under recommended storage conditions

Possibility of hazardous reactions

None under normal processing

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Extremes of temperature and direct sunlight

Incompatible Materials

None known based on information supplied

Hazardous Decomposition Products

None known based on information supplied

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure**Product Information**

Toxic - Inhalation Avoid breathing vapors or mists.

Eye contact Irritating to eyes. Avoid contact with eyes. May cause redness, itching, and pain.

Skin contact Irritating to skin. Avoid contact with skin. Prolonged or repeated contact may dry skin and cause irritation. Prolonged skin contact may cause burns.

Ingestion Do not taste or swallow.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Diethylene glycol monobutyl ether 112-34-5	= 5660 mg/kg (Rat)	= 2700 mg/kg (Rabbit)	-
Butoxyethanol 111-76-2	= 470 mg/kg (Rat)	= 99 mg/kg (Rabbit)	= 450 ppm (Rat) 4 h
Alcohols, C9-11, ethoxylated 68439-46-3	= 1400 mg/kg (rat) = 1378 mg/kg (rat)	> 2 g/kg (rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Eye damage/irritation	No information available.
Sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Butoxyethanol 111-76-2	A3	Group 3	-	-

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

IARC: (International Agency for Research on Cancer)

Group 3 - Not Classifiable as to Carcinogenicity in Humans

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

Reproductive toxicity	No information available.
Developmental Toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Chronic toxicity	Avoid repeated exposure. May cause adverse liver effects.
Target Organ Effects	Blood, Central nervous system, Eyes, Hematopoietic System, Kidney, Liver, Respiratory system, Skin.
Aspiration hazard	No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	31901 mg/kg
ATEmix (dermal)	18175 mg/kg
ATEmix (inhalation-gas)	59625 mg/L
ATEmix (inhalation-dust/mist)	127.8 mg/L

12. ECOLOGICAL INFORMATION

Ecotoxicity

3.577% of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Diethylene glycol monobutyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	100: 48 h Daphnia magna mg/L EC50 2850: 24 h Daphnia magna mg/L EC50
Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
Butoxyethanol 111-76-2	0.81

<u>Other adverse effects</u>	No information available
-------------------------------------	--------------------------

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods	Disposal should be in accordance with applicable local, regional, national, and international laws and regulations.
-------------------------------	---

Contaminated packaging Do not re-use empty containers.

14. TRANSPORT INFORMATION

DOT Not regulated
IMDG Not regulated
IATA Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains one or more chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	SARA 313 - Threshold Values %
Diethylene glycol monobutyl ether 112-34-5	1.0
Butoxyethanol 111-76-2	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product can expose you to chemicals including Acetaldehyde and Ethylbenzene, which are known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

This product contains one or more substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	California
---------------	------------	---------------	--------------	------------

