

# SAFETY DATA SHEET

Supersedes Date: 08 May 2023 Revision Date: 08 May 2023 Version: 1.0

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### **Product identifier**

Product Label Name Triplephase

Other means of identification

UPC Code(s) Not applicable

**Product code** 2622-0309, 2623-0300 **Synonyms** Esteam Triplephase

#### Recommended use of the chemical and restrictions on use

Recommended Use Oxidizing stain remover

**Uses advised against** Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address Manufacturer Address

Esteam Cleaning Systems Aramsco Inc.

1-3680 Odyssey Drive 4282 South 590 West Mississauga, ON L5M 0Y9 Salt Lake City, UT 84123

Canada USA

**Emergency telephone number** 

Company Phone Number 1-800-767-6933

Company Emergency Phone United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

Number International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)

Emergency telephone Poison Control 1-800-222-1222 (24 hour)

# 2. HAZARDS IDENTIFICATION

### Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation	Category 4
Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2
Oxidizing liquid	Category 3

### GHS Label elements, including precautionary statements

### **Emergency Overview**

Warning

#### **Hazard Statements**

Harmful if inhaled
Causes skin irritation

Causes serious eye irritation



Appearance clear liquid Physical state liquid Odor peroxide

#### **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray
Use only outdoors or in a well-ventilated area
Wash face, hands, and any exposed skin thoroughly after handling
Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of soap and water

If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

# Other information

**Toxic - Inhalation** 

· Oxidizer. Contact with other material may cause fire

General Hazards Keep out of reach of children

Please see Section 11. Toxicological Information for further information

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Hydrogen Peroxide	7722-84-1	< 8	*
Diethylene glycol monobutyl ether	112-34-5	5 - 10	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

# 4. FIRST AID MEASURES

# First aid measures for different exposure routes

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in

eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**Skin contact** Wash off immediately with soap and plenty of water while removing all contaminated clothes and

shoes. Remove and wash contaminated clothing before re-use. Wash off immediately with plenty of water. If skin irritation persists, call a physician. Immediate medical attention is not required.

Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial respiration. Use barrier to give mouth-to-mouth resuscitation. Immediate medical attention is not

required. If symptoms persist, call a physician.

Ingestion Rinse mouth. Drink plenty of water. If symptoms persist, call a physician. Do NOT induce vomiting.

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an

unconscious person.

**Protection of First-aiders** Use personal protective equipment.

Most important symptoms/effects, acute and delayed Main Symptoms

No information available.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use: Dry chemical. Carbon dioxide (CO<sub>2</sub>). Water spray. Alcohol-resistant foam.

Unsuitable Extinguishing Media CAUTION: Do not use a solid water stream as it may scatter and spread fire.

#### Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

**Hazardous Combustion** 

No information available.

**Products** 

**Explosion Data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

**Personal precautions**Use personal protective equipment. Remove all sources of ignition. Evacuate personnel to

safe areas. Keep people away from and upwind of spill/leak. Pay attention to flashback.

Take precautionary measures against static discharges.

**Advice for emergency responders** For personal protection see section 8.

**Environmental precautions** 

**Environmental precautions** Prevent entry into waterways, sewers, basements, or confined areas. Do not flush into

surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so.

Prevent product from entering drains.

### Methods and materials for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover

powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled containers. Soak up with inert absorbent material. Dam up. Take

precautionary measures against static discharges.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

#### Advice on safe handling

Avoid contact with skin, eyes and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink or smoke when using this product. Use only in area provided with appropriate exhaust ventilation. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Keep away from heat, sparks and open flame. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).

#### Conditions for safe storage, including any incompatibilities

Technical measures/Storage

conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat and sources of ignition. Keep in properly labeled containers. Keep away from heat.

Packaging material Keep product in packaging product is initially sold in.

**Incompatible products**None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrogen Peroxide	TWA: 1 ppm	TWA: 1 ppm	IDLH: 75 ppm
7722-84-1		TWA: 1.4 mg/m <sup>3</sup>	TWA: 1 ppm
		(vacated) TWA: 1 ppm	TWA: 1.4 mg/m <sup>3</sup>
		(vacated) TWA: 1.4 mg/m <sup>3</sup>	_
Diethylene glycol monobutyl ether	TWA: 10 ppm inhalable fraction and	-	-
112-34-5	vapor		

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

**Engineering Measures** 

Showers

Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Tightly fitting safety goggles. Face shield.

**Skin and body protection** Wear protective gloves/ protective clothing. Chemical resistant apron.

**Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene measures Provide regular cleaning of equipment, work area and clothing. Do not eat, drink or smoke

when using this product. Remove and wash contaminated clothing before re-use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Physical and chemical properties

Physical state liquid Odor peroxide

Appearance clear liquid Odor threshold No information available

**Color** none

Property Values Remarks • Method

pH 5.0

Melting point No information available

 $\begin{array}{lll} \mbox{Boiling point/boiling range} & > 100^{\circ}\mbox{C} \ / > 212^{\circ}\mbox{F} \\ \mbox{Flash Point} & > 94^{\circ}\mbox{C} \ / > 201^{\circ}\mbox{F} \\ \mbox{Evaporation rate} & \mbox{No information available} \\ \mbox{Flammability (solid, gas)} & \mbox{No information available} \end{array}$ 

Flammability Limits in Air

Upper Flammability Limit
Lower Flammability Limit
No information available
No information available

Vapor pressure 17.5 Vapor density 0.865 Specific Gravity 1.040

Water solubility Soluble in water

Solubility in other solvents

Partition coefficient: n-octanol/water

No information available

No information available

Autoignition temperature 398°C / 750°F

Decomposition temperature

Viscosity, kinematic

Viscosity, dynamic

Explosive properties

Oxidizing Properties

No information available
No information available
No information available
No information available

Other information

Softening point
Molecular weight
VOC Content (%)
Density VALUE
No information available

# 10. STABILITY AND REACTIVITY

#### Reactivity

#### **Chemical stability**

Stable under recommended storage conditions

### Possibility of hazardous reactions

None under normal processing

Hazardous Polymerization None under normal processing.

# **Conditions to Avoid**

Heat, flames and sparks.

#### Incompatible Materials

None known based on information supplied

# **Hazardous Decomposition Products**

None known based on information supplied

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

#### **Product Information**

**Toxic - Inhalation** May be harmful if inhaled. Avoid breathing vapors or mists.

Eye contact Risk of serious damage to eyes. Avoid contact with eyes.

**Skin contact** Irritating to skin. Avoid contact with skin.

**Ingestion** Do not taste or swallow. Ingestion may cause stomach discomfort. May cause irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrogen Peroxide 7722-84-1	= 801 mg/kg (rat)	= 2000 mg/kg (rabbit)	= 2 g/m³ (rat) 4 h
Diethylene glycol monobutyl ether 112-34-5	= 5660 mg/kg (rat)	= 2700 mg/kg (rabbit)	-
Butoxyethanol 111-76-2	= 470 mg/kg (rat)	= 99 mg/kg (rabbit)	= 450 ppm (rat) 4 h

### Information on toxicological effects

**Symptoms** No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.SensitizationNo information available.Germ cell mutagenicityNo information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Chemical Name	ACGIH	IARC	NTP	OSHA
Н	ydrogen Peroxide 7722-84-1	A3	Group 3	•	-

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

ACGIH: (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

Reproductive toxicity
Developmental Toxicity
STOT - single exposure
STOT - repeated exposure
Chronic toxicity
No information available.
No information available.
No information available.
Avoid repeated exposure.

Target Organ Effects Eyes, Respiratory system, Skin.

**Aspiration hazard** No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) > 5000 mg/kg ATEmix (dermal) > 5000 mg/kg

# 12. ECOLOGICAL INFORMATION

# **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates
Hydrogen Peroxide 7722-84-1	-	10.0 - 32.0: 96 h Oncorhynchus mykiss mg/L LC50 static 18 - 56: 96 h Lepomis macrochirus mg/L LC50 static 16.4: 96 h Pimephales promelas mg/L LC50	18 - 32: 48 h Daphnia magna mg/L EC50 Static
Diethylene glycol monobutyl ether 112-34-5	100: 96 h Desmodesmus subspicatus mg/L EC50	1300: 96 h Lepomis macrochirus mg/L LC50 static	100: 48 h Daphnia magna mg/L EC50 2850: 24 h Daphnia magna mg/L EC50
Butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50 1698 - 1940: 24 h Daphnia magna mg/L EC50

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

#### Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Hydrogen Peroxide	Toxic
7722-84-1	Corrosive
	Ignitable
	Reactive

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

<u>IMDG</u> Not regulated

IATA Not regulated

# 15. REGULATORY INFORMATION

### **International Inventories**

TSCA Complies DSL/NDSL Complies

# Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

# SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardYesSudden Release of Pressure HazardNoReactive HazardNo

# **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

# **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Hydrogen Peroxide 7722-84-1	-	1000 lb	-

### **US State Regulations**

#### **California Proposition 65**

This product can expose you to chemicals including 1,4-Dioxane, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrogen Peroxide 7722-84-1	X	X	X

#### **U.S. EPA Label information**

**EPA Pesticide Registration Number** Not applicable

16. OTHER	R INFORMA	TION

NFPA Health hazard 2 Flammability 1 Instability 0 Physical and chemical hazards HMIS Health hazard 2 Flammability 1 Physical Hazard 0 Personal protection X

Prepared By Aramsco

Environmental Health & Safety

Revision Date 08 May 2023

**Revision Note** 

08 May 2023 No information available

References Raw ingredient SDSs

### **Disclaimer**

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

**End of Material Safety Data Sheet**