

SAFETY DATA SHEET

Supersedes Date: 22 Nov 2016 Revision Date: 02 May 2023 Version: 2.0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

UPC Code(s)

Product Label Name Performance CBS

Other means of identification

Not applicable

Product code 2625-0201, 2626-0202 Synonyms Esteam Performance CBS

Recommended use of the chemical and restrictions on use

Recommended Use Powdered emulsifier.

Uses advised against Follow label instructions. Not recommended for any use except intended use.

Supplier's details

Supplier Address Manufacturer Address

Esteam Cleaning Systems
1-3680 Odyssey Drive
4282 South 590 West
Mississauga, ON L5M 0Y9
Salt Lake City, UT 84123

Canada USA

Emergency telephone number

Company Phone Number 1-800-767-6933

Company Emergency Phone United States: 1-800-535-5053 (INFOTRAC – 24 hours, 7 days a week)

Number International: 1-352-323-3500 (INFOTRAC – 24 hours, 7 days a week)

Emergency telephone Poison Control 1-800-222-1222 (24 hour)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion	Category 1B
Serious eye damage/eye irritation	Category 1

GHS Label elements, including precautionary statements

Emergency Overview

Danger

Hazard Statements

Causes serious eye damage. Causes skin irritation.





Appearance Yellow Crystalline Powder

Physical state Solid

Odor Citrus

Precautionary Statements - Prevention

Wash hands and skin thoroughly after handling.

Wear protective gloves.

Wear eye protection/face protection.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists call a POISON CENTER or doctor/physician

IF ON SKIN: Wash with plenty of water

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other information

General Hazards Keep out of reach of children

Please see Section 11. Toxicological Information for further information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Sodium metasilicate	6834-92-0	5-10	*
Carbonic acid, disodium salt, compd. with hydrogen peroxide (2:3)	15630-89-4	1-5	*
2-Butoxyethanol	111-76-2	1-5	*
D-Limonene	5989-27-5	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice If symptoms persist, call a physician. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in

eyes, on skin, or on clothing.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue

flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a

physician.

Skin contactConsult a physician if necessary. Wash off immediately with soap and plenty of water while removing

all contaminated clothes and shoes. Launder clothing before reuse.

Toxic - Inhalation Move to fresh air. Consult a physician. If breathing is irregular or stopped, administer artificial

respiration. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.

Ingestion Rinse mouth. If symptoms persist, call a physician.

Protection of First-aiders Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms If inhaled: can irritate the nose and throat. If on skin: may cause mild irritation. If in eyes: may cause

serious eye damage, May irritate or burn the eyes.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Not combustible. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

Does not burn.

Hazardous Combustion

No information available.

Products

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures

Personal precautions Ensure adequate ventilation.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information. Do not flush into surface water or

sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product

from entering drains.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upUse personal protective equipment. Cover powder spill with plastic sheet or tarp to

minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid dust formation. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling

Avoid contact with skin, eyes, and clothing. Wear personal protective equipment. Remove and wash contaminated clothing before re-use. Do not breathe vapors or spray mist. Do not eat, drink, or smoke when using this product. Keep containers tightly closed when not in

use or empty.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of

children.

Packaging material Keep product in packaging product is initially sold in.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-butoxyethanol	TWA 20 ppm	TWA 50 ppm	IDLH 700 ppm
111-76-2		TWA 240 mg/m3	

NIOSH IDLH: Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Measures

Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles. Face shields.

Skin and body protection No special protective equipment required.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Provide regular cleaning of equipment, work area and clothing. Do not eat, drink, or smoke Hygiene measures

when using this product. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state Solid Odor Citrus

Crystalline Powder **Appearance** Odor threshold No information available

Color Yellow

Values Remarks • Method **Property**

0.18% solution 9.7 pН No information available Melting point

Boiling point/boiling range No information available Flash Point No information available Evaporation rate No information available

Flammability (solid, gas) Will not burn.

Flammability Limits in Air

Upper Flammability Limit No information available Lower Flammability Limit No information available No information available Vapor pressure Vapor density No information available Specific Gravity No information available

Water solubility Soluble in water

Solubility in other solvents No information available Partition coefficient: n-octanol/water No information available Autoignition temperature No information available Decomposition temperature No information available Viscosity, kinematic No information available Viscosity, dynamic No information available No information available Explosive properties

Other information

Oxidizing Properties

No information available

Softening point
Molecular weight
VOC Content (%)
Density VALUE
No information available

10. STABILITY AND REACTIVITY

Reactivity

Chemical stability

Stable under recommended storage conditions

Possibility of hazardous reactions

None under normal processing

Hazardous Polymerization None under normal processing.

Conditions to Avoid

Generation of dust. Incompatible materials. Acidic conditions (low pH). Extremes of temperature and direct sunlight.

Incompatible Materials

Strong oxidizing agents (e.g., perchloric acid).

Hazardous Decomposition Products

Carbon dioxide, carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Toxic - Inhalation Avoid breathing vapors or mists. May cause irritation of respiratory tract.

Eye contact Avoid contact with eyes. Irritating to eyes.

Skin contact Avoid contact with skin. Irritating to skin. Prolonged contact may cause redness and

irritation.

Ingestion Do not taste or swallow. Ingestion may cause gastrointestinal irritation, nausea, vomiting

and diarrhea. Ingestion may cause stomach discomfort. May cause irritation.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Sodium carbonate 497-19-8	= 4090 mg/kg (rat)	2210 mg/kg (rat)	= 2300 mg/m³ (rat) 2 h
Carbonic acid, disodium salt, compd. w/ hydrogen peroxide (2:3) 15630-89-4	1034 mg/kg (rat)	> 2000 mg/kg (rabbit)	-
2-butoxyethanol 111-76-2	1300 mg/kg (rat)	> 2000 mg/kg (rat)	> 4.9 mg/L (rat) 4 h (vapor)
D-limonene = 4400 mg/kg (rat) 5989-27-5		> 5 g/kg (rabbit)	-

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Eye damage/irritationNo information available.
No information available.

Sensitization Respiratory sensitizer. **Germ cell mutagenicity** No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP
D-limonene	-	Group 3	-
5989-27-5			

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

IARC: (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Reproductive toxicity

Developmental Toxicity

No information available.

No information available.

STOT - single exposure Irritating to respiratory system. May be harmful if absorbed through the skin. Harmful if

swallowed. Irritation to mouth, throat and stomach.

STOT - repeated exposure
Chronic toxicity

No information available.
No information available.

Target Organ Effects
Aspiration hazard
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) No information available.

ATEmix (dermal) No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to daphnia and other aquatic invertebrates	
Sodium metasilicate 6834-92-0	-	210: 96 h Brachydanio rerio mg/L LC50 semi-static 210: 96 h Brachydanio rerio mg/L LC50	216: 96 h Daphnia magna mg/L EC50	
D-limonene 5989-27-5	-	0.619 - 0.796: 96 h Pimephales promelas mg/L LC50 flow-through 35: 96 h Oncorhynchus mykiss mg/L LC50	-	
2-butoxyethanol 111-76-2	-	1490: 96 h Lepomis macrochirus mg/L LC50 static 2950: 96 h Lepomis macrochirus mg/L LC50	1000: 48 h Daphnia magna mg/L EC50	

Persistence and degradability

Considered to be rapidly degradable.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable local, regional, national, and international

laws and regulations.

Contaminated packaging Do not re-use empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
D-limonene	Toxic
5989-27-5	

14. TRANSPORT INFORMATION

DOT Not regulated

IMDG Not regulated

<u>IATA</u> Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health HazardYesChronic Health HazardNoFire HazardNoSudden Release of Pressure HazardNoReactive HazardNo

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product can expose you to chemicals including Acetaldehyde and Lead, which are known to the State of California to cause cancer, and Ethylene Glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

U.S. State Right-to-Know Regulations

This product contains one or more substances regulated by state right-to-know regulations

The product contains one of more substances regulated by state right to know regulations.					
Chemical Name	New Jersey	Massachusetts	Pennsylvania	California	
2-butoxyethanol 111-76-2	X	X	X	X	

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA Health hazard 2 Flammability 0 Instability 1 Physical and chemical hazards -

HMIS Health hazard 2 Flammability 0 Physical Hazard 1 Personal protection X

Prepared By Aramsco

Environmental Health & Safety

Revision Date 02 May 2023

Revision Note

02 May 2023 Update Prop 65 information 22 Nov 2016 No information available

References Raw ingredient SDSs

<u>Disclaimer</u>

The (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bridgewater LLC to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. Bridgewater LLC assumes no responsibility for injury to the recipient of third persons, or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet

.....